



Refreshing **POWER!**



Manual

i4Win

[Exposé](#)

This document explains the commands and parameters in the product i4Win



i4Win

In this manual the following commands are documented one by one:

+ I4WIN

Command: I4WIN

This command allows to execute commands and gives much more functionality to remote control a Windows Workstation from IBM i

The command I4WIN has the following parameters:

ACTION	What to do
	List of possible values:
*VIEW	Opens a document as view-only (write protected)
*EDIT	Opens a document to edit. TOSTMF and IFSFILE are required i.e. if TOSTMF is *ifs and IFSFILE is '/home/sample/auftraege.xls' i4Win will download the file auftraege.xls and open it to edit.
*PRINT	Prints a document. Remark: there is an additional parm to assign Printer, default is windows standard printer.
*PRALL	
*PICT	Presents a graphic file
*EXPLORE	Opens explorer
*SETPRN	Changes standard printer. PRINTER is required.
*SETOPT	Sets Printer Option, previously saved with i4Client. PRNOPT is required.
*DIR	puts directory entries to a file
*CALL	
*MSG	
*TRFUSER	
*TRFTEMP	
*TRFANY	
*GETUSER	
*GETTEMP	
*GETANY	
*SKYCALL	
*SKYMSG	
*SKYLIST	

The command I4WIN has the following parameters:

ACTION

List of possible values:

*KEY

SKYMSG Skype Message/Key Sequence

I4CLIENT Start i4Client
Controls the communication with the free Windows-Client i4Client This can be used after the generation of the Excel table for starting a download in the temporary windows-directory and for opening the table with Excel. It is planned to can call any PC in the network in future versions. This functionality can be provided on request. This parameter is mandatory.

List of possible values:

*LOCAL A transfer on the local PC will be started.

*NONE i4Client will not be used.

*LOCALSUI Special mode for infor's BRAIN AS

REPLACE Replace File
Determines whether an existing file has to be replaced or should be used as a "Base", new data is appended.

List of possible values:

*YES

*NO

TOSTMF To PC readable file
Specifies the complete name and access path of the created output stream file, (in the desired PC-format) within the Integrated File System (IFS) of the AS/400. The output stream file receives the converted values. All subdirectories have to be specified. Non-existing subdirectories will not be created. Depending on the parameter OVRWRT existing output stream files will be overwritten. Otherwise, the output stream file will be created automatically.

The command I4WIN has the following parameters:

TOSTMF

Sample: /home/goering/sample.pdf

PRINTER

Printer

List of possible values:

*STANDARD

*RESET

RESETPRN

Reset to Default Printer

List of possible values:

*YES

*NO

PRNOPT

Printer Option

DIRFILE

File for directory

CRTFIL

Create File

List of possible values:

*YES

The command I4WIN has the following parameters:

CRTFIL

List of possible values:

*NO

MBROPT

Copy Option

List of possible values:

*ADD

*REPLACE

I4CPORT

i4Client Port

List of possible values:

*DFT

WAITONEX

Wait on execute

List of possible values:

*YES

*NO

DOTNET

Add CRLF to internal command

List of possible values:

*YES

*NO

EXPRESSION